

Channel Hookup



Chan	Position	U#	Inst Type & Access & Load	Purpose	Mode	Dm	Addr
71	GROUND ROW	10	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/1
72	GROUND ROW	9	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/20
73	GROUND ROW	8	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/39
74	GROUND ROW	7	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/58
75	GROUND ROW	6	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/77
76	GROUND ROW	5	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/96
77	GROUND ROW	4	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/115
78	GROUND ROW	3	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/134
79	GROUND ROW	2	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/153
80	GROUND ROW	1	Chauvet COLORado PXL Bar 16 835w	BACK WALL	SINGLE MODE BASIC 2		5/172
81	US TRUSS - DS	24	Martin Mac Aura 260w	BAX WASH	EXTENDED		5/191
82	US TRUSS - DS	23	Martin Mac Aura 260w	BAX ML WASH	EXTENDED		5/216
83	US TRUSS - DS	20	Martin Mac Aura 260w	BAX ML WASH	EXTENDED		5/241
84	US TRUSS - DS	7	Martin Mac Aura 260w	BAX ML WASH	EXTENDED		5/266
85	US TRUSS - DS	4	Martin Mac Aura 260w	BAX ML WASH	EXTENDED		5/291
86	US TRUSS - DS	3	Martin Mac Aura 260w	BAX ML WASH	EXTENDED		5/316
101	US TRUSS - DS	26	ETC D40 Lustr 110w	BAX	DIRECT		1/1
102	US TRUSS - DS	22	ETC D40 Lustr 110w	BAX	DIRECT		1/10
103	US TRUSS - DS	19	ETC D40 Lustr 110w	BAX	DIRECT		1/19
108	US TRUSS - DS	8	ETC D40 Lustr 110w	BAX	DIRECT		1/64
109	US TRUSS - DS	5	ETC D40 Lustr 110w	BAX	DIRECT		1/73
110	US TRUSS - DS	1	ETC D40 Lustr 110w	BAX	DIRECT		1/82
111	US TRUSS - DS	25	ETC D40 Lustr 110w	BAX	DIRECT		1/91
112	US TRUSS - DS	21	ETC D40 Lustr 110w	BAX	DIRECT		1/100
113	US TRUSS - DS	18	ETC D40 Lustr 110w	BAX	DIRECT		1/109
114	US TRUSS - DS	16	ETC D40 Lustr 110w	BAX	DIRECT		1/118
117	US TRUSS - DS	11	ETC D40 Lustr 110w	BAX	DIRECT		1/145
118	US TRUSS - DS	9	ETC D40 Lustr 110w	BAX	DIRECT		1/154
119	US TRUSS - DS	6	ETC D40 Lustr 110w	BAX	DIRECT		1/163
120	US TRUSS - DS	2	ETC D40 Lustr 110w	BAX	DIRECT		1/172
201	US TRUSS - UH	6	Platinum Spot LED II 230w	BAX ML SPOT	EXTENDED		1/181
202	US TRUSS - UH	5	Platinum Spot LED II 230w	BAX ML SPOT	EXTENDED		1/208
203	US TRUSS - UH	4	Platinum Spot LED II 230w	BAX ML SPOT	EXTENDED		1/235
204	US TRUSS - UH	3	Platinum Spot LED II 230w	BAX ML SPOT	EXTENDED		1/262

Channel Hookup



Chan	Position	U#	Inst Type & Access & Load	Purpose	Mode	Dm	Addr
205	US TRUSS - UH	2	Platinum Spot LED II 230w	BAX ML SPOT	EXTENDED		1/289
206	US TRUSS - UH	1	Platinum Spot LED II 230w	BAX ML SPOT	EXTENDED		1/316
301	MID STAGE	6	Martin Mac Aura 260w	DWN ML WASH	EXTENDED		1/343
302	MID STAGE	5	Martin Mac Aura 260w	DWN ML WASH	EXTENDED		1/368
303	MID STAGE	4	Martin Mac Aura 260w	DWN ML WASH	EXTENDED		1/393
304	MID STAGE	3	Martin Mac Aura 260w	DWN ML WASH	EXTENDED		1/418
305	MID STAGE	2	Martin Mac Aura 260w	DWN ML WASH	EXTENDED		1/443
306	MID STAGE	1	Martin Mac Aura 260w	DWN ML WASH	EXTENDED		1/468
401	1 ELECTRIC	16	Varilite VL1100 LED classic S 445w	DS ML SPOT	S CLASSIC		2/170
402	1 ELECTRIC	13	Varilite VL1100 LED classic S 445w	DS ML SPOT	S CLASSIC		2/197
403	1 ELECTRIC	10	Varilite VL1100 LED classic S 445w	DS ML SPOT	S CLASSIC		2/224
404	1 ELECTRIC	7	Varilite VL1100 LED classic S 445w	DS ML SPOT	S CLASSIC		2/251
405	1 ELECTRIC	4	Varilite VL1100 LED classic S 445w	DS ML SPOT	S CLASSIC		2/278
406	1 ELECTRIC	1	Varilite VL1100 LED classic S 445w	DS ML SPOT	S CLASSIC		2/305
407	1 ELECTRIC	10	Varilite VL1100 LED classic S 445w	DS ML SPOT	S CLASSIC		2/440
408	1 ELECTRIC	14	Elation Design Wash LED Zoom 320w	DS ML WASH	FINE RES		2/332
409	1 ELECTRIC	3	Elation Design Wash LED Zoom 320w	DS ML WASH	FINE RES		2/346
410	1 ELECTRIC	3	Elation Design Wash LED Zoom 320w	DS ML WASH	FINE RES		5/341
501	1 ELECTRIC	15	LUSTR Plus 36 DEG 135.9w	SPECIAL	DIRECT		2/360
502	1 ELECTRIC	12	LUSTR Plus 36 DEG 135.9w	SPECIAL	DIRECT		2/370
503	1 ELECTRIC	11	LUSTR Plus 36 DEG 135.9w	SPECIAL	DIRECT		2/380
504	1 ELECTRIC	9	LUSTR Plus 36 DEG 135.9w	SPECIAL	DIRECT		2/390
505	1 ELECTRIC	8	LUSTR Plus 36 DEG 135.9w	SPECIAL	DIRECT		2/400
506	1 ELECTRIC	6	LUSTR Plus 36 DEG 135.9w	SPECIAL	DIRECT		2/410
507	1 ELECTRIC	5	LUSTR Plus 36 DEG 135.9w	SPECIAL	DIRECT		2/420
508	1 ELECTRIC	2	LUSTR Plus 36 DEG 135.9w	SPECIAL	DIRECT		2/430
601	1 BOX R	2	Varilite VL1100 LED classic S 445w	NEAR BOX SPOT	S CLASSIC		3/1
602	1 BOX L	2	Varilite VL1100 LED classic S 445w	NEAR BOX SPOT	S CLASSIC		3/28
701	2 BOX R	1	Martin MAC Ultra Performance 1.45kW	FAR BOX SPOT	EXTENDED		3/55
702	2 BOX L	1	Martin MAC Ultra Performance 1.45kW	FAR BOX SPOT	EXTENDED		3/113
801	2 BOX R	2	LUSTR Plus 19 DEG 135.9w	FNT>	DIRECT		3/163
802	2 BOX R	3	LUSTR Plus 19 DEG 135.9w	FNT>	DIRECT		3/173
803	2 BOX R	5	LUSTR Plus 19 DEG 135.9w	FNT>	DIRECT		3/183
804	2 BOX R	4	LUSTR Plus 19 DEG 135.9w	FNT>	DIRECT		3/193

Channel Hookup



Chan	Position	U#	Inst Type & Access & Load	Purpose	Mode	Dm	Addr
805	2 BOX R	7	LUSTR Plus 19 DEG 135.9w	FNT>	DIRECT		3/203
806	2 BOX R	6	LUSTR Plus 19 DEG 135.9w	FNT>	DIRECT		3/213
807	2 BOX R	2	LUSTR Plus 19 DEG 135.9w	FNT<	DIRECT		3/223
808	2 BOX R	3	LUSTR Plus 19 DEG 135.9w	FNT<	DIRECT		3/233
809	2 BOX L	5	LUSTR Plus 19 DEG 135.9w	FNT<	DIRECT		3/243
810	2 BOX L	4	LUSTR Plus 19 DEG 135.9w	FNT<	DIRECT		3/253
811	2 BOX L	7	LUSTR Plus 19 DEG 135.9w	FNT<	DIRECT		3/263
812	2 BOX L	6	LUSTR Plus 19 DEG 135.9w	FNT<	DIRECT		3/273
813	1 BOX R	1	LUSTR Plus 19 DEG 135.9w	FNT>	DIRECT		3/283
814	1 BOX L	1	LUSTR Plus 19 DEG 135.9w	FNT<	DIRECT		3/293
850	R ORGAN	2	ChauvetDJ Colorband Q3BT 57w	ORGAN PIPES			3/303
851	R ORGAN	1	ChauvetDJ Colorband Q3BT 57w	ORGAN PIPES			3/309
852	L ORGAN	2	ChauvetDJ Colorband Q3BT 57w	ORGAN PIPES			3/315
853	L ORGAN	1	ChauvetDJ Colorband Q3BT 57w	ORGAN PIPES			3/321
901	1 FOH	8	LUSTR Plus 5 DEG 135.9w	FNT	HSIC+7		4/1
902	1 FOH	7	LUSTR Plus 5 DEG 135.9w	FNT	HSIC+7		4/16
903	1 FOH	6	LUSTR Plus 5 DEG 135.9w	FNT	HSIC+7		4/31
904	1 FOH	5	LUSTR Plus 5 DEG 135.9w	FNT	HSIC+7		4/46
905	1 FOH	4	LUSTR Plus 5 DEG 135.9w	FNT	HSIC+7		4/61
906	1 FOH	3	LUSTR Plus 5 DEG 135.9w	FNT	HSIC+7		4/76
907	1 FOH	2	LUSTR Plus 5 DEG 135.9w	FNT	HSIC+7		4/91
908	1 FOH	1	LUSTR Plus 5 DEG 135.9w	FNT	HSIC+7		4/106
1010	BOOTH	2	Robe BMFL Followspot 2kW	FOLLOW SPOT	M1		4/121
1020	BOOTH	1	Robe BMFL Followspot 2kW	FOLLOW SPOT	M1		4/162

TABLE OF CONTENTS

1 FOH	1	1 ELECTRIC	3
BOOTH	1	MID STAGE	3
1 BOX L	1	US TRUSS - DS	4
2 BOX L	1	US TRUSS - UH	5
1 BOX R	2	GROUND ROW	5
2 BOX R	2	L ORGAN	5
		R ORGAN	6

Instrument Schedule



1 FOH

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	FNT	LUSTR Plus 5 DEG	135.9w		908	4/106	
2	FNT	LUSTR Plus 5 DEG	135.9w		907	4/91	
3	FNT	LUSTR Plus 5 DEG	135.9w		906	4/76	
4	FNT	LUSTR Plus 5 DEG	135.9w		905	4/61	
5	FNT	LUSTR Plus 5 DEG	135.9w		904	4/46	
6	FNT	LUSTR Plus 5 DEG	135.9w		903	4/31	
7	FNT	LUSTR Plus 5 DEG	135.9w		902	4/16	
8	FNT	LUSTR Plus 5 DEG	135.9w		901	4/1	

BOOTH

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	FOLLOW SPOT	Robe BMFL Followspot	2kW		1020	4/162	
2	FOLLOW SPOT	Robe BMFL Followspot	2kW		1010	4/121	

1 BOX L

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	FNT<	LUSTR Plus 19 DEG	135.9w		814	3/293	
2	NEAR BOX SPOT	Varilite VL1100 LED classic S	445w		602	3/28	

2 BOX L

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	FAR BOX SPOT	Martin MAC Ultra Performance	1.45kW		702	3/113	
4	FNT<	LUSTR Plus 19 DEG	135.9w		810	3/253	
5	FNT<	LUSTR Plus 19 DEG	135.9w		809	3/243	
6	FNT<	LUSTR Plus 19 DEG	135.9w		812	3/273	
7	FNT<	LUSTR Plus 19 DEG	135.9w		811	3/263	

1 BOX R

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	FNT>	LUSTR Plus 19 DEG	135.9w		813	3/283	
2	NEAR BOX SPOT	Varilite VL1100 LED classic S	445w		601	3/1	

2 BOX R

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	FAR BOX SPOT	Martin MAC Ultra Performance	1.45kW		701	3/55	
2	FNT>	LUSTR Plus 19 DEG	135.9w		801	3/163	
2	FNT<	LUSTR Plus 19 DEG	135.9w		807	3/223	
3	FNT>	LUSTR Plus 19 DEG	135.9w		802	3/173	
3	FNT<	LUSTR Plus 19 DEG	135.9w		808	3/233	
4	FNT>	LUSTR Plus 19 DEG	135.9w		804	3/193	
5	FNT>	LUSTR Plus 19 DEG	135.9w		803	3/183	
6	FNT>	LUSTR Plus 19 DEG	135.9w		806	3/213	
7	FNT>	LUSTR Plus 19 DEG	135.9w		805	3/203	

Instrument Schedule



1 ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	DS ML SPOT	Varilite VL1100 LED classic S	445w		406	2/305	
2	SPECIAL	LUSTR Plus 36 DEG	135.9w		508	2/430	
3	DS ML WASH	Elation Design Wash LED Zoom	320w		410	5/341	
3	DS ML WASH	Elation Design Wash LED Zoom	320w		409	2/346	
4	DS ML SPOT	Varilite VL1100 LED classic S	445w		405	2/278	
5	SPECIAL	LUSTR Plus 36 DEG	135.9w		507	2/420	
6	SPECIAL	LUSTR Plus 36 DEG	135.9w		506	2/410	
7	DS ML SPOT	Varilite VL1100 LED classic S	445w		404	2/251	
8	SPECIAL	LUSTR Plus 36 DEG	135.9w		505	2/400	
9	SPECIAL	LUSTR Plus 36 DEG	135.9w		504	2/390	
10	DS ML SPOT	Varilite VL1100 LED classic S	445w		407	2/440	
10	DS ML SPOT	Varilite VL1100 LED classic S	445w		403	2/224	
11	SPECIAL	LUSTR Plus 36 DEG	135.9w		503	2/380	
12	SPECIAL	LUSTR Plus 36 DEG	135.9w		502	2/370	
13	DS ML SPOT	Varilite VL1100 LED classic S	445w		402	2/197	
14	DS ML WASH	Elation Design Wash LED Zoom	320w		408	2/332	
15	SPECIAL	LUSTR Plus 36 DEG	135.9w		501	2/360	
16	DS ML SPOT	Varilite VL1100 LED classic S	445w		401	2/170	

MID STAGE

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	DWN ML WASH	Martin Mac Aura	260w		306	1/468	
2	DWN ML WASH	Martin Mac Aura	260w		305	1/443	
3	DWN ML WASH	Martin Mac Aura	260w		304	1/418	
4	DWN ML WASH	Martin Mac Aura	260w		303	1/393	
5	DWN ML WASH	Martin Mac Aura	260w		302	1/368	
6	DWN ML WASH	Martin Mac Aura	260w		301	1/343	

US TRUSS - DS

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	BAX	ETC D40 Lustr	110w		110	1/82	
2	BAX	ETC D40 Lustr	110w		120	1/172	
3	BAX ML WASH	Martin Mac Aura	260w		86	5/316	
4	BAX ML WASH	Martin Mac Aura	260w		85	5/291	
5	BAX	ETC D40 Lustr	110w		109	1/73	
6	BAX	ETC D40 Lustr	110w		119	1/163	
7	BAX ML WASH	Martin Mac Aura	260w		84	5/266	
8	BAX	ETC D40 Lustr	110w		108	1/64	
9	BAX	ETC D40 Lustr	110w		118	1/154	
11	BAX	ETC D40 Lustr	110w		117	1/145	
16	BAX	ETC D40 Lustr	110w		114	1/118	
18	BAX	ETC D40 Lustr	110w		113	1/109	
19	BAX	ETC D40 Lustr	110w		103	1/19	
20	BAX ML WASH	Martin Mac Aura	260w		83	5/241	
21	BAX	ETC D40 Lustr	110w		112	1/100	
22	BAX	ETC D40 Lustr	110w		102	1/10	
23	BAX ML WASH	Martin Mac Aura	260w		82	5/216	
24	BAX WASH	Martin Mac Aura	260w		81	5/191	
25	BAX	ETC D40 Lustr	110w		111	1/91	
26	BAX	ETC D40 Lustr	110w		101	1/1	

Instrument Schedule



US TRUSS - UH

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	BAX ML SPOT	Platinum Spot LED II	230w		206	1/316	
2	BAX ML SPOT	Platinum Spot LED II	230w		205	1/289	
3	BAX ML SPOT	Platinum Spot LED II	230w		204	1/262	
4	BAX ML SPOT	Platinum Spot LED II	230w		203	1/235	
5	BAX ML SPOT	Platinum Spot LED II	230w		202	1/208	
6	BAX ML SPOT	Platinum Spot LED II	230w		201	1/181	

GROUND ROW

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	BACK WALL	Chauvet COLORado PXL Bar 16	835w		80	5/172	
2	BACK WALL	Chauvet COLORado PXL Bar 16	835w		79	5/153	
3	BACK WALL	Chauvet COLORado PXL Bar 16	835w		78	5/134	
4	BACK WALL	Chauvet COLORado PXL Bar 16	835w		77	5/115	
5	BACK WALL	Chauvet COLORado PXL Bar 16	835w		76	5/96	
6	BACK WALL	Chauvet COLORado PXL Bar 16	835w		75	5/77	
7	BACK WALL	Chauvet COLORado PXL Bar 16	835w		74	5/58	
8	BACK WALL	Chauvet COLORado PXL Bar 16	835w		73	5/39	
9	BACK WALL	Chauvet COLORado PXL Bar 16	835w		72	5/20	
10	BACK WALL	Chauvet COLORado PXL Bar 16	835w		71	5/1	

L ORGAN

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	ORGAN PIPES	ChauvetDJ Colorband Q3BT	57w		853	3/321	
2	ORGAN PIPES	ChauvetDJ Colorband Q3BT	57w		852	3/315	

R ORGAN

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr	Dim
1	ORGAN PIPES	ChauvetDJ Colorband Q3BT	57w		851	3/309	
2	ORGAN PIPES	ChauvetDJ Colorband Q3BT	57w		850	3/303	